

# *fib* COM 8 DURABILITY

Benchmarking of  
deemed-to-satisfy provisions  
in standards:

Durability of reinforced concrete structure  
exposed to chlorides

## BEVEZETŐ

Balázs L. György

*fib* Magyar Tagozat elnöke

Bulletin **76**






Benchmarking of deemed-to-  
satisfy provisions in standards




State-of-the-art report






→	1 CONCRETE STRUCTURES	Planning and execution
→	2 ANALYSIS AND DESIGN	
→	3 EXISTING CONCRETE STRUCTURES	
→	4 CONCRETE AND CONCRETE TECHNOLOGY	Materials and production
→	5 REINFORCEMENTS	
→	6 PREFABRICATION	
→	7 SUSTAINABILITY	Sustainability and durability
→	8 DURABILITY	
→	9 DISSEMINATION OF KNOWLEDGE	Education and publications



# Az *fib* Bulletin 76 készítői



*fib* Bulletin 76 was approved as a state-of-the-art report by Commission 8: *Durability* and was drafted by Task Group 8.6: *Calibration of code deemed-to-satisfy provisions for durability*.

**Convener:** Christoph Gehlen\* (TU München)

**Contributors:** Mike Bartholomew (CH2M, USA), Carola Edvardsen (COWI A/S, Denmark), Miguel Ferreira (VTT Technical Research Centre of Finland), Stefanie von Greve-Dierfeld\* (TU München, Germany), Joost Gulikers\* (Rijkswaterstaat GPO, Netherlands), Steinar Helland\* (Skanska Norge AS, Norway), Gro Markeset (SINTEF, Norway), Philip McKenna (CH2M, Ireland), Frank Papworth (BCRC, Australia), Brett Pielstick (EISMAN & RUSSO, USA), Amir Rahimi\* (Federal Waterways Engineering and Research Institute, Germany)


\* Members of the drafting board

## Cover images:

Front cover: 'Troll B' by Håkon Thingstad (2010), CC BY 2.0, ([flickr.com/photos/25638028@N06](https://www.flickr.com/photos/25638028@N06))

Back cover: 'Eider Sperrwerk Ostseite' by Richard Bartz (2013), CC BY-SA 3.0 ([commons.wikimedia.org/wiki/User:Richard\\_Bartz](https://commons.wikimedia.org/wiki/User:Richard_Bartz))

© Fédération internationale du béton (*fib*), 2015



# PERFORMANCE BASED DESIGN

## 2. TERMINOLOGY

*Birth certificate*      Condition after construction

*Performance* Behaviour of a structure as a consequence of actions to which it is subjected or which it generates

*Service life*      Period during which the required performance must be achieved

*SLS, ULS*

*Robustness*      Ability of a structure to sustain local damage without disproportional distress or collapse

# SÓ ÉS FAGYASZTÁSI CIKLUSOK HATÁSA



# SÓ ÉS FAGYASZTÁSI CIKLUSOK HATÁSA





# SÓ ÉS FAGYASZTÁSI CIKLUSOK HATÁSA



# SÓ ÉS FAGYASZTÁSI CIKLUSOK HATÁSA





# Köszönöm a szíves érdeklődését

Benchmarking of deemed-to-satisfy provisions in standards

**György L. Balázs**



State-of-the-art report



CEB-FIP

FÉDÉRATION INTERNATIONALE DU BÉTON - INTERNATIONAL FEDERATION FOR STRUCTURAL CONCRETE